

BOTTAZZI


ギヨム・ボタジ

БОТТАЗЗИ

紀堯姆·波塔茲



Evanescence collection - Absis Pendant Lamps © Guillaume Bottazzi





Evanescence collection - Diaphane Ceiling Lamps © Guillaume Bottazzi





Evanescence collection - Opalia Ceiling Lamps © Guillaume Bottazzi



Evanescence collection - Celius pendant lamps © Guillaume Bottazzi



Evanescence collection - Celius pendant lamps © Guillaume Bottazzi





Evanescence collection - Celius Ceiling Lamps © Guillaume Bottazzi



Evanescence collection - Eluo Ceiling Lamp © Guillaume Bottazzi





Evanescence collection - Absis Integrated Ceiling Lamps © Guillaume Bottazzi




Evanescence collection - Eluo Integrated Ceiling Lamps © Guillaume Bottazzi





Evanescence collection - Absis wall lamps © Guillaume Bottazzi



Evanescence collection - Opalia wall lamp © Guillaume Bottazzi





Evanescence collection - Eluo pendant lamp © Guillaume Bottazzi



Evanescence collection - Celius pendant lamp © Guillaume Bottazzi





Evanescence collection - Celius pendant lamp © Guillaume Bottazzi



Evanescence collection - Celius pendant lamps © Guillaume Bottazzi






Opalescent light surface  
Transparent inks baked at 100°



Full LED



Base in extruded aluminium.







# Absis





*Opalia*



# *Diaphane*





# *Celius*



*Eluo*






# Colours of the opalescent light surface



Gold



Yellow ochre



Nasturtium



Colourless



Taupe




Beige



Cadmium red deep



Raspberry



Blueberry




Cobalt & Turquoise




Cobalt blue




Turquoise blue









Turquoise deep



Green almond



Olive

	Lamp	Wall Lamp	Pendant Lamp	Ceiling Lamp	Incorporated Ceiling Lamp	Dimming by 1-10 V control	Dimming by DALI
 Ø 260 mm	Full LED	●		●		●	●
 Ø 330 mm	Full LED	●		●		●	●
 Ø 450 mm	Full LED	●		●		●	●
 Ø 650 mm	Full LED		●	●	●	●	
 Ø 950 mm	Full LED		●	●	●	●	
 Ø 1250 mm	Full LED		●	●	●	●	




# *Colours of the base in aluminium*

White, Black, Bronze, Gold  
and any RAL colours on request




# 260 DIM1



<b>Technology</b>	LED Full light
<b>Visual</b>	Transparent inks, 100° baked, 15 different colours
<b>Base available colors</b>	White, Black, Bronze, Gold any optional RAL colours on request
<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Surface mounted / Wall Surface mounted
<b>Recessed depth</b>	n.a.
<b>Thickness of mounting surface</b>	n.a.
<b>Information</b>	INCL.1 x PC SBL INCL.LED CLUSTER 15W / CRI>80 / 3000K / 1580lm INCL.DIMMABLE LED POWER SUPPLY 600mA-DC / 15W DIMMING BY 1-10V CONTROL
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	1580 lm // 15 W // 105 lm/W
<b>Electrical</b>	110-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	0.8 Kg
<b>IP</b>	IP40
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.


# 260 DIM5



<b>Technology</b>	LED Full light
<b>Visual</b>	Transparent inks, 100° baked, 15 different colours
<b>Base available colors</b>	White, Black, Bronze, Gold any optional RAL colours on request
<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Surface mounted / Wall Surface mounted
<b>Recessed depth</b>	n.a.
<b>Thickness of mounting surface</b>	n.a.
<b>Information</b>	INCL.1 x PC SBL INCL.LED CLUSTER 15W / CRI>80 / 3000K / 1580lm INCL.DIMMABLE LED POWER SUPPLY 600mA-DC / 15W DIMMING BY DALI
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	1580 lm // 15 W // 105 lm/W
<b>Electrical</b>	110-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	0.8 Kg
<b>IP</b>	IP40
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.




# 330 DIM1



<b>Technology</b>	LED Full light
<b>Visual</b>	Transparent inks, 100° baked, 15 different colours
<b>Base available colors</b>	White, Black, Bronze, Gold any optional RAL colours on request
<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Surface mounted / Wall Surface mounted
<b>Recessed depth</b>	n.a.
<b>Thickness of mounting surface</b>	n.a.
<b>Information</b>	INCL.1 x PC SBL INCL.LED CLUSTER 22W / CRI>80 / 3000K / 2600lm INCL.DIMMABLE LED POWER SUPPLY 1050mA-DC DIMMING BY 1-10V CONTROL
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	2600 lm // 22 W // 118 lm/W
<b>Electrical</b>	220-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	1 Kg
<b>IP</b>	IP40
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.




# 330 DIM5



<b>Technology</b>	LED Full light
<b>Visual</b>	Transparent inks, 100° baked, 15 different colours
<b>Base available colors</b>	White, Black, Bronze, Gold any optional RAL colours on request
<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Surface mounted / Wall Surface mounted
<b>Recessed depth</b>	n.a.
<b>Thickness of mounting surface</b>	n.a.
<b>Information</b>	INCL.1 x PC SBL INCL.LED CLUSTER 22W / CRI>80 / 3000K / 2600lm INCL.DIMMABLE LED POWER SUPPLY 1050mA-DC DIMMING BY DALI
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	2600 lm // 22 W // 118 lm/W
<b>Electrical</b>	220-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	1 Kg
<b>IP</b>	IP40
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.



# 450 DIM1




<b>Technology</b>	LED Full light
<b>Visual</b>	Transparent inks, 100° baked, 15 different colours
<b>Base available colors</b>	White, Black, Bronze, Gold any optional RAL colours on request
<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Surface mounted / Wall Surface mounted
<b>Recessed depth</b>	n.a.
<b>Thickness of mounting surface</b>	n.a.
<b>Information</b>	INCL.1 x PC SBL INCL.LED CLUSTER 34W / CRI>80 / 3000K / 4400lm INCL.DIMMABLE LED POWER SUPPLY 700mA-DC DIMMING BY 1-10V CONTROL
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	4400 lm // 34 W // 129 lm/W
<b>Electrical</b>	220-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	3.5 Kg
<b>IP</b>	IP40
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.






# 450 DIM5



<b>Technology</b>	LED Full light
<b>Visual</b>	Transparent inks, 100° baked, 15 different colours
<b>Base available colors</b>	White, Black, Bronze, Gold any optional RAL colours on request
<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Surface mounted / Wall Surface mounted
<b>Recessed depth</b>	n.a.
<b>Thickness of mounting surface</b>	n.a.
<b>Information</b>	INCL.1 x PC SBL INCL.LED CLUSTER 34W / CRI>80 / 3000K / 4400lm INCL.DIMMABLE LED POWER SUPPLY 700mA-DC DIMMING BY DALI
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	4400 lm // 34 W // 129 lm/W
<b>Electrical</b>	220-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	3.5 Kg
<b>IP</b>	IP40
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.




# 650 DIM1




<b>Technology</b>	Full light
<b>Visual</b>	Transparent inks, 100° baked, 15 different colours
<b>Base available colors</b>	White, Black, Bronze, Gold any optional RAL colours on request
<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Suspended / Ceiling Surface mounted / Ceiling incorporated
<b>Recessed depth</b>	n.a.
<b>Thickness of mounting surface</b>	n.a.
<b>Information</b>	INCL.PC SBL INCL.LED CLUSTERS 46W / CRI>80 / 3000K / 6160lm INCL.1 x LED POWER SUPPLY 350mA DIM 1 DIMMING BY 1-10V CONTROL
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	6160 lm // 46 W // 134 lm/W
<b>Electrical</b>	120-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	8.7 Kg
<b>IP</b>	IP20
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.
<b>Options</b>	SUSPENSION SET 18 DIM1 3m CABLE BASE R / S COVERSET R 62-90-100 / S 62-80-90 DALI 1-10V CONVERTOR




# 650 TRIMLESS DIM1



<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Recessed
<b>Cutout shape/size</b>	Cutout shape 685 mm 
<b>Recessed depth</b>	200 mm
<b>Thickness of mounting surface</b>	max.25 mm
<b>Information</b>	INCL.PC SBL INCL.LED CLUSTERS 46W / CRI>80 / 3000K / 6160lm INCL.1 x LED POWER SUPPLY 350mA DIM 1 DIMMING BY 1-10V CONTROL
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	6160 lm // 46 W // 134 lm/W
<b>Electrical</b>	120-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	6.8 Kg
<b>IP</b>	IP20
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.
<b>Options</b>	WIRELESS CONTROL DIM1 DALI 1-10V CONVERTOR




# 950 DIM1



<b>Technology</b>	Full light
<b>Visual</b>	Transparent inks, 100° baked, 15 different colours
<b>Base available colors</b>	White, Black, Bronze, Gold any optional RAL colours on request
<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Suspended / Ceiling Surface mounted / Ceiling incorporated
<b>Recessed depth</b>	n.a.
<b>Thickness of mounting surface</b>	n.a.
<b>Information</b>	INCL.PCSBL INCL.LED CLUSTERS 105W / CRI>80 / 3000K / 14140lm INCL.2 x LED POWER SUPPLY 350mA DIM 1 DIMMING BY 1-10V CONTROL
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	14140 lm // 105 W // 135 lm/W
<b>Electrical</b>	120-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	12.7 Kg
<b>IP</b>	IP20
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.
<b>Options</b>	SUSPENSION SET 18 DIM1 3m CABLE BASE R / S COVERSET R 62-90-100 / S 62-80-90 DALI 1-10V CONVERTOR




# 950 TRIMLESS DIM1



<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Recessed
<b>Cutout shape/size</b>	Cutout shape 985 mm 
<b>Recessed depth</b>	200 mm
<b>Thickness of mounting surface</b>	max.25 mm
<b>Information</b>	INCL.PC SBL INCL.LED CLUSTERS 105W / CRI>80 / 3000K / 14140lm INCL.2 x LED POWER SUPPLY 350mA DIM 1 DIMMING BY 1-10V CONTROL
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	14140 lm // 105 W // 135 lm/W
<b>Electrical</b>	120-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	8.9 Kg
<b>IP</b>	IP20
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.
<b>Options</b>	WIRELESS CONTROL DIM1 DALI 1-10V CONVERTOR



# 1250 DIM1





<b>Technology</b>	Full light
<b>Visual</b>	Transparent inks, 100° baked, 15 different colours
<b>Base available colors</b>	White, Black, Bronze, Gold any optional RAL colours on request
<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Suspended / Ceiling Surface mounted / Ceiling incorporated
<b>Recessed depth</b>	n.a.
<b>Thickness of mounting surface</b>	n.a.
<b>Information</b>	INCL.PC SBL INCL.LED CLUSTERS 208W / CRI>80 / 3000K / 28050lm INCL.3 x LED POWER SUPPLY 350mA DIM 1 DIMMING BY 1-10V CONTROL
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	28050 lm // 208 W // 135 lm/W
<b>Electrical</b>	120-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	16.6 Kg
<b>IP</b>	IP20
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.
<b>Options</b>	SUSPENSION SET 18 DIM1 3m CABLE BASE R / S COVERSET R 62-90-100 / S 62-80-90 DALI 1-10V CONVERTOR





# 1250 TRIMLESS DIM



<b>Location</b>	INTERIOR
<b>Fixation</b>	Ceiling Recessed
<b>Cutout shape/size</b>	Cutout shape 1285 mm 
<b>Recessed depth</b>	200 mm
<b>Thickness of mounting surface</b>	max.25 mm
<b>Information</b>	INCL.PC SBL INCL.LED CLUSTERS 208W / CRI>80 / 3000K / 28050lm INCL.3 x LED POWER SUPPLY 350mA DIM 1 DIMMING BY 1-10V CONTROL
<b>CRI</b>	CRI 80
<b>Colour temp</b>	Warm White (+3000K)
<b>LED Technics (light source)</b>	28050 lm // 208 W // 135 lm/W
<b>LED Technics (luminaire)</b>	21946 lm // 239 W // 92 lm/W
<b>Electrical</b>	120-240V / 50-60Hz
<b>Class</b>	Class I
<b>Nett weight</b>	10.8 Kg
<b>IP</b>	IP20
<b>Minimum distance</b>	n.a.
<b>Remarks</b>	n.a.
<b>Options</b>	WIRELESS CONTROL DIM1 DALI 1-10V CONVERTOR



# BOTTAZZI

ギヨム・ボタジ

БОТТАЗЗИ

紀堯姆·波塔茲



Evanescence collection - Celiuss ceiling lamp © Guillaume Bottazzi

## *Lights that contribute to a sense of well-being*

In the design of his lighting installations, Guillaume Bottazzi refers to a scientific study based on his own work. University of Vienna neuroscientists Helmut Leder and Marcos Nadal have demonstrated that Guillaume Bottazzi's curves stimulate the brain's areas of pleasure and reduce anxiety in people who look at them.

Guillaume Bottazzi has signed more than forty artworks in public space. He has received private and public commissions from museums, cities, ministries, investors and collectors, such as Mori and the Miyanomori International Museum of Art in Japan, the William Whipple Collection and the Queen Shorough Collection in the USA, and from French Government and the Ministry of Culture in France.



[www.guillaume.bottazzi.org](http://www.guillaume.bottazzi.org)  
[contact@guilleaumbottazzi.com](mailto:contact@guilleaumbottazzi.com)  
Tel : +33(0)4 72 32 21 59